

## Weather Based Irrigation Controllers Qualifying Products List as of Oct 01, 2022

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, \*, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
Aeon Matrix	LTEyyxx	Aeon Matrix	LTPyyxx
Aeon Matrix	PROyyxx	Aeon Matrix	YDNyyxx
Banyan Water	Vine8	Blossom	AWICD-0100
Blossom	AWICD-0080	Calsense	CS3-XX-XXX, YY
Calsense	CS3-2W-XXX, YY	DIG Corporation	LEIT-2ET
DIG Corporation	LEIT-2ET-x	Etwater	ETw-HC
Etwater	ETw-HC2	Etwater	105
Etwater	205	Etwater	204W-*
H2OPro	HA-1060-8	Hunter	HCC-FPUP
Hunter	HCC-800M	Hunter	HCC-800PL
Hunter	HCC-800PP	Hunter	HCC-800SS
Hunter	HC-1200i	Hunter	HC-1201i*
Hunter	HC-600i	Hunter	HC-601i*
Hunter	HPC-FP	Hunter	HPC-401*
Hunter	HPC-400	Hunter	PHC-1200i
Hunter	PHC-1201*	Hunter	PHC-1201i*
Hunter	PHC-1200	Hunter	PHC-2400i
Hunter	PHC-2401*	Hunter	PHC-2401i*
Hunter	PHC-2400	Hunter	PHC-600i
Hunter	PHC-601*	Hunter	PHC-601i*
Hunter	PHC-600	Hunter	SOLARSYNC-SEN
Hunter	WAND	Hunter	WSS-SEN
HydroPoint	WTPRO2S-B-X-CH1	HydroPoint	WTPRO2S-B-X-CH2
HydroPoint	WTPRO2S-B-X-CH4	HydroPoint	WTPRO2S-B-X-CH5
HydroPoint	WTPRO2S-B-X-CH7	HydroPoint	WTPRO2S-B-X-CWM
HydroPoint	WTPRO2S-B-X-SPH	HydroPoint	WTPRO2S-B-X-SPS
HydroPoint	WTPRO2S-B-X-SPT	HydroPoint	WTPRO2S-B-X-SWM
HydroPoint	WTPRO2S-C-X-CH1	HydroPoint	WTPRO2S-C-X-CH2
HydroPoint	WTPRO2S-C-X-CH4	HydroPoint	WTPRO2S-C-X-CH5
HydroPoint	WTPRO2S-C-X-CH7	HydroPoint	WTPRO2S-C-X-CWM
HydroPoint	WTPRO2S-C-X-SPH	HydroPoint	WTPRO2S-C-X-SPS
HydroPoint	WTPRO2S-C-X-SPT	HydroPoint	WTPRO2S-C-X-SWM
HydroPoint	WTPRO3-1224-PRO3UPG	HydroPoint	WTPRO3-3048-PRO3UPG
HydroPoint	WTPRO3-3048-PRO3UPG (CH7)	HydroPoint	WTPRO3-C-12-CH1-UPG
HydroPoint	WTPRO3-C-12-CH2-UPG	HydroPoint	WTPRO3-C-12-CH4-UPG
HydroPoint	WTPRO3-C-12-CH5-UPG	HydroPoint	WTPRO3-C-18-CH1-UPG
HydroPoint	WTPRO3-C-18-CH2-UPG	HydroPoint	WTPRO3-C-18-CH4-UPG
HydroPoint	WTPRO3-C-18-CH5-UPG	HydroPoint	WTPRO3-C-24-CH1-UPG
HydroPoint	WTPRO3-C-24-CH2-UPG	HydroPoint	WTPRO3-C-24-CH4-UPG

## Weather Based Irrigation Controllers Qualifying Products List as of Oct 01, 2022

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, \*, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
HydroPoint	WTPRO3-C-24-CH5-UPG	HydroPoint	WTPRO3-C-30-CH1-UPG
HydroPoint	WTPRO3-C-30-CH2-UPG	HydroPoint	WTPRO3-C-30-CH4-UPG
HydroPoint	WTPRO3-C-30-CH5-UPG	HydroPoint	WTPRO3-C-36-CH1-UPG
HydroPoint	WTPRO3-C-36-CH2-UPG	HydroPoint	WTPRO3-C-36-CH4-UPG
HydroPoint	WTPRO3-C-36-CH5-UPG	HydroPoint	WTPRO3-C-42-CH1-UPG
HydroPoint	WTPRO3-C-42-CH2-UPG	HydroPoint	WTPRO3-C-42-CH4-UPG
HydroPoint	WTPRO3-C-42-CH5-UPG	HydroPoint	WTPRO3-C-48-CH1-UPG
HydroPoint	WTPRO3-C-48-CH2-UPG	HydroPoint	WTPRO3-C-48-CH4-UPG
HydroPoint	WTPRO3-C-48-CH5-UPG	HydroPoint	WTPRO3-C-X-CH1-*
HydroPoint	WTPRO3-C-X-CH2-*	HydroPoint	WTPRO3-C-X-CH4-*
HydroPoint	WTPRO3-C-X-CH5-*	HydroPoint	WTPRO3-C-X-CH7-*
HydroPoint	WTPRO3-C-X-CWM-*	HydroPoint	WTPRO3-C-X-SPH-*
HydroPoint	WTPRO3-C-X-SPS-*	HydroPoint	WTPRO3-C-X-SPT-*
HydroPoint	WTPRO3-C-X-STW-*	HydroPoint	WTPRO3-C-X-SWM-*
HydroPoint	WTLC-C-X-PL	HydroPoint	WTLC-C-X-PL-F
HydroPoint	WTLC-C-X-PL	HydroPoint	WTLC-C-X-PL-F
HydroPoint	WTOXR-1224-PROUPG	HydroPoint	WTOXR-1224-PROUPG-CH7
HydroPoint	WTOXR-3048-PROUPG	HydroPoint	WTOXR-3048-PROUPG-CH7
HydroPoint	WTOXR-72-PROUPG	HydroPoint	WTOXR-72-PROUPG-CH7
HydroPoint	WTOXR-96-PROUPG	HydroPoint	WTOXR-96-PROUPG-CH7
HydroPoint	WTOXR-C-X-CH1-*	HydroPoint	WTOXR-C-X-CH2-*
HydroPoint	WTOXR-C-X-CH4-*	HydroPoint	WTOXR-C-X-CH5-*
HydroPoint	WTOXR-C-X-CH7-*	HydroPoint	WTOXR-C-X-CH8-*
HydroPoint	WTOXR-C-X-CWM-*	HydroPoint	WTOXR-C-X-SPH-*
HydroPoint	WTOXR-C-X-SPS-*	HydroPoint	WTOXR-C-X-SPT-*
HydroPoint	WTOXR-C-X-STW-*	HydroPoint	WTOXR-C-X-SWM-*
HydroPoint	WTSY-C-X-PL	HydroPoint	WTSY-C-X-PL-F
Hydro-Rain	04082	Hydro-Rain	04082L
Hydro-Rain	04080	Hydro-Rain	04080L
Hydro-Rain	04050	Hydro-Rain	04060
IRRITROL	CL-100	Netafim USA	NLC-100S
Netafim USA	NLC-100D	Netafim USA	NLC-100S
NETRO	Spark-16	NETRO	Spark-8
NETRO	Sprite-12	NETRO	Sprite-12-INT
NETRO	Sprite-6	NETRO	Sprite-6-INT
Orbit B-hyve	21008	Orbit B-hyve	21027
Orbit B-hyve	93727	Orbit B-hyve	94527
Orbit B-hyve	94992	Orbit B-hyve	96527
Orbit B-hyve	96992	Orbit B-hyve	94550
Orbit B-hyve	94872	Orbit B-hyve	96050

## Weather Based Irrigation Controllers Qualifying Products List as of Oct 01, 2022

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, \*, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
Orbit B-hyve	96872	Orbit B-hyve	57950
Orbit B-hyve	91950	Orbit B-hyve	94546
Orbit B-hyve	94870	Orbit B-hyve	96046
Orbit B-hyve	96870	Orbit B-hyve	57946
Orbit B-hyve	91946	Orbit B-hyve	57915
Orbit B-hyve	91915	Orbit B-hyve	94915
Orbit B-hyve	96915	Orbit B-hyve	57925
Orbit B-hyve	91925	Orbit B-hyve	94925
Orbit B-hyve	96925	Orbit B-hyve	21006
Orbit B-hyve	94991	Orbit B-hyve	96506
Orbit B-hyve	57985	Orbit B-hyve	57995
Rachio	12ZULW-C*	Rachio	16ZULW-C*
Rachio	4ZULW-C*	Rachio	6ZULW-C*
Rachio	8ZULW-C*	Rachio	16ZULW-B*
Rachio	16ZULWB*	Rachio	16ZULWBPRO*
Rachio	Iro 16 Zone	Rachio	8ZULWB*
Rachio	Iro 8 Zone	Rachio	12ZULWC*
Rachio	16ZULW*	Rachio	RACHIO3-1600*
Rachio	16ZULWC*	Rachio	8ZULW*
Rachio	8ZULW-B*	Rachio	8ZULWBPRO*
Rachio	8ZULWC*	Rachio	RACHIO3-800*
Rain Bird	ARC8	Rain Bird	IQNCC4G
Rain Bird	IQ4G-USA	Rain Bird	IQNCCEN
Rain Bird	IQNCCRS	Rain Bird	LNK2 WiFi
Rain Bird	LNK WiFi	Rain Bird	RC2
Rain Bird	ST8I-2.0	Rain Bird	ST8O-2.0
RainMachine	SPK3-12	RainMachine	SPK3-16
RainMachine	SPK5-16	RainMachine	SPK5-8
RAINMASTER	DX3-DPSB56	RAINMASTER	DX3-DPSB56M8C
RAINMASTER	DX3-DPSB56M8CP	RAINMASTER	DX3-DPSB56M8U
RAINMASTER	DX3-DPSB56M8UP	RAINMASTER	DX3-DPSB56M8W
RAINMASTER	DX3-DPSB56M8WP	RAINMASTER	DX3-DPSB56P
RAINMASTER	DX3-DPSB64	RAINMASTER	DX3-DPSB64M8C
RAINMASTER	DX3-DPSB64M8CP	RAINMASTER	DX3-DPSB64M8U
RAINMASTER	DX3-DPSB64M8UP	RAINMASTER	DX3-DPSB64M8W
RAINMASTER	DX3-DPSB64M8WP	RAINMASTER	DX3-DPSB64P
RAINMASTER	DX3-DPSB72	RAINMASTER	DX3-DPSB72M8C
RAINMASTER	DX3-DPSB72M8CP	RAINMASTER	DX3-DPSB72M8U
RAINMASTER	DX3-DPSB72M8UP	RAINMASTER	DX3-DPSB72M8W
RAINMASTER	DX3-DPSB72M8WP	RAINMASTER	DX3-DPSB72P

## Weather Based Irrigation Controllers Qualifying Products List as of Oct 01, 2022

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, \*, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
RAINMASTER	DX3-DPSB80	RAINMASTER	DX3-DPSB80M8C
RAINMASTER	DX3-DPSB80M8CP	RAINMASTER	DX3-DPSB80M8U
RAINMASTER	DX3-DPSB80M8UP	RAINMASTER	DX3-DPSB80M8W
RAINMASTER	DX3-DPSB80M8WP	RAINMASTER	DX3-DPSB80P
RAINMASTER	DX3-DPSB88	RAINMASTER	DX3-DPSB88M8C
RAINMASTER	DX3-DPSB88M8CP	RAINMASTER	DX3-DPSB88M8U
RAINMASTER	DX3-DPSB88M8UP	RAINMASTER	DX3-DPSB88M8W
RAINMASTER	DX3-DPSB88M8WP	RAINMASTER	DX3-DPSB88P
RAINMASTER	DX3-DPSB96	RAINMASTER	DX3-DPSB96M8C
RAINMASTER	DX3-DPSB96M8CP	RAINMASTER	DX3-DPSB96M8U
RAINMASTER	DX3-DPSB96M8UP	RAINMASTER	DX3-DPSB96M8W
RAINMASTER	DX3-DPSB96M8WP	RAINMASTER	DX3-DPSB96P
RAINMASTER	DX3-PPED08	RAINMASTER	DX3-PPED08M8C
RAINMASTER	DX3-PPED08M8CP	RAINMASTER	DX3-PPED08M8U
RAINMASTER	DX3-PPED08M8UP	RAINMASTER	DX3-PPED08M8W
RAINMASTER	DX3-PPED08M8WP	RAINMASTER	DX3-PPED08P
RAINMASTER	DX3-PPED16	RAINMASTER	DX3-PPED16M8C
RAINMASTER	DX3-PPED16M8CP	RAINMASTER	DX3-PPED16M8U
RAINMASTER	DX3-PPED16M8UP	RAINMASTER	DX3-PPED16M8W
RAINMASTER	DX3-PPED16M8WP	RAINMASTER	DX3-PPED16P
RAINMASTER	DX3-PPED24	RAINMASTER	DX3-PPED24M8C
RAINMASTER	DX3-PPED24M8CP	RAINMASTER	DX3-PPED24M8U
RAINMASTER	DX3-PPED24M8UP	RAINMASTER	DX3-PPED24M8W
RAINMASTER	DX3-PPED24M8WP	RAINMASTER	DX3-PPED24P
RAINMASTER	DX3-PPED32	RAINMASTER	DX3-PPED32M8C
RAINMASTER	DX3-PPED32M8CP	RAINMASTER	DX3-PPED32M8U
RAINMASTER	DX3-PPED32M8UP	RAINMASTER	DX3-PPED32M8W
RAINMASTER	DX3-PPED32M8WP	RAINMASTER	DX3-PPED32P
RAINMASTER	DX3-PPED40	RAINMASTER	DX3-PPED40M8C
RAINMASTER	DX3-PPED40M8CP	RAINMASTER	DX3-PPED40M8U
RAINMASTER	DX3-PPED40M8UP	RAINMASTER	DX3-PPED40M8W
RAINMASTER	DX3-PPED40M8WP	RAINMASTER	DX3-PPED40P
RAINMASTER	DX3-PPED48	RAINMASTER	DX3-PPED48M8C
RAINMASTER	DX3-PPED48M8CP	RAINMASTER	DX3-PPED48M8U
RAINMASTER	DX3-PPED48M8UP	RAINMASTER	DX3-PPED48M8W
RAINMASTER	DX3-PPED48M8WP	RAINMASTER	DX3-PPED48P
RAINMASTER	DX3-PPEDTW	RAINMASTER	DX3-PPEDTWM8C
RAINMASTER	DX3-PPEDTWM8CP	RAINMASTER	DX3-PPEDTWM8U
RAINMASTER	DX3-PPEDTWM8UP	RAINMASTER	DX3-PPEDTWM8W
RAINMASTER	DX3-PPEDTWM8WP	RAINMASTER	DX3-PPEDTWP

## Weather Based Irrigation Controllers Qualifying Products List as of Oct 01, 2022

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, \*, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
RAINMASTER	DX3-PSB08	RAINMASTER	DX3-PSB08M8C
RAINMASTER	DX3-PSB08M8CP	RAINMASTER	DX3-PSB08M8U
RAINMASTER	DX3-PSB08M8UP	RAINMASTER	DX3-PSB08M8W
RAINMASTER	DX3-PSB08M8WP	RAINMASTER	DX3-PSB08P
RAINMASTER	DX3-PSB16	RAINMASTER	DX3-PSB16M8C
RAINMASTER	DX3-PSB16M8CP	RAINMASTER	DX3-PSB16M8U
RAINMASTER	DX3-PSB16M8UP	RAINMASTER	DX3-PSB16M8W
RAINMASTER	DX3-PSB16M8WP	RAINMASTER	DX3-PSB16P
RAINMASTER	DX3-PSB24	RAINMASTER	DX3-PSB24M8C
RAINMASTER	DX3-PSB24M8CP	RAINMASTER	DX3-PSB24M8U
RAINMASTER	DX3-PSB24M8UP	RAINMASTER	DX3-PSB24M8W
RAINMASTER	DX3-PSB24M8WP	RAINMASTER	DX3-PSB24P
RAINMASTER	DX3-PSB32	RAINMASTER	DX3-PSB32M8C
RAINMASTER	DX3-PSB32M8CP	RAINMASTER	DX3-PSB32M8U
RAINMASTER	DX3-PSB32M8UP	RAINMASTER	DX3-PSB32M8W
RAINMASTER	DX3-PSB32M8WP	RAINMASTER	DX3-PSB32P
RAINMASTER	DX3-PSB40	RAINMASTER	DX3-PSB40M8C
RAINMASTER	DX3-PSB40M8CP	RAINMASTER	DX3-PSB40M8U
RAINMASTER	DX3-PSB40M8UP	RAINMASTER	DX3-PSB40M8W
RAINMASTER	DX3-PSB40M8WP	RAINMASTER	DX3-PSB40P
RAINMASTER	DX3-PSB48	RAINMASTER	DX3-PSB48M8C
RAINMASTER	DX3-PSB48M8CP	RAINMASTER	DX3-PSB48M8U
RAINMASTER	DX3-PSB48M8UP	RAINMASTER	DX3-PSB48M8W
RAINMASTER	DX3-PSB48M8WP	RAINMASTER	DX3-PSB48P
RAINMASTER	DX3-PSBTW	RAINMASTER	DX3-PSBTWM8C
RAINMASTER	DX3-PSBTWM8CP	RAINMASTER	DX3-PSBTWM8U
RAINMASTER	DX3-PSBTWM8UP	RAINMASTER	DX3-PSBTWM8W
RAINMASTER	DX3-PSBTWM8WP	RAINMASTER	DX3-PSBTWP
RAINMASTER	DX3-PWM08	RAINMASTER	DX3-PWM08M8C
RAINMASTER	DX3-PWM08M8CP	RAINMASTER	DX3-PWM08M8U
RAINMASTER	DX3-PWM08M8UP	RAINMASTER	DX3-PWM08M8W
RAINMASTER	DX3-PWM08M8WP	RAINMASTER	DX3-PWM08P
RAINMASTER	DX3-PWM16	RAINMASTER	DX3-PWM16M8C
RAINMASTER	DX3-PWM16M8CP	RAINMASTER	DX3-PWM16M8U
RAINMASTER	DX3-PWM16M8UP	RAINMASTER	DX3-PWM16M8W
RAINMASTER	DX3-PWM16M8WP	RAINMASTER	DX3-PWM16P
RAINMASTER	DX3-PWM24	RAINMASTER	DX3-PWM24M8C
RAINMASTER	DX3-PWM24M8CP	RAINMASTER	DX3-PWM24M8U
RAINMASTER	DX3-PWM24M8UP	RAINMASTER	DX3-PWM24M8W
RAINMASTER	DX3-PWM24M8WP	RAINMASTER	DX3-PWM24P

## Weather Based Irrigation Controllers Qualifying Products List as of Oct 01, 2022

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, \*, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
RAINMASTER	DX3-PWM32	RAINMASTER	DX3-PWM32M8C
RAINMASTER	DX3-PWM32M8CP	RAINMASTER	DX3-PWM32M8U
RAINMASTER	DX3-PWM32M8UP	RAINMASTER	DX3-PWM32M8W
RAINMASTER	DX3-PWM32M8WP	RAINMASTER	DX3-PWM32P
RAINMASTER	DX3-PWM40	RAINMASTER	DX3-PWM40M8C
RAINMASTER	DX3-PWM40M8CP	RAINMASTER	DX3-PWM40M8U
RAINMASTER	DX3-PWM40M8UP	RAINMASTER	DX3-PWM40M8W
RAINMASTER	DX3-PWM40M8WP	RAINMASTER	DX3-PWM40P
RAINMASTER	DX3-PWM48	RAINMASTER	DX3-PWM48M8C
RAINMASTER	DX3-PWM48M8CP	RAINMASTER	DX3-PWM48M8U
RAINMASTER	DX3-PWM48M8UP	RAINMASTER	DX3-PWM48M8W
RAINMASTER	DX3-PWM48M8WP	RAINMASTER	DX3-PWM48P
RAINMASTER	DX3-PWMTW	RAINMASTER	DX3-PWMTWM8C
RAINMASTER	DX3-PWMTWM8CP	RAINMASTER	DX3-PWMTWM8U
RAINMASTER	DX3-PWMTWM8UP	RAINMASTER	DX3-PWMTWM8W
RAINMASTER	DX3-PWMTWM8WP	RAINMASTER	DX3-PWMTWP
RAINMASTER	DX3-SPED08	RAINMASTER	DX3-SPED08M8C
RAINMASTER	DX3-SPED08M8CP	RAINMASTER	DX3-SPED08M8U
RAINMASTER	DX3-SPED08M8UP	RAINMASTER	DX3-SPED08M8W
RAINMASTER	DX3-SPED08M8WP	RAINMASTER	DX3-SPED08P
RAINMASTER	DX3-SPED16	RAINMASTER	DX3-SPED16M8C
RAINMASTER	DX3-SPED16M8CP	RAINMASTER	DX3-SPED16M8U
RAINMASTER	DX3-SPED16M8UP	RAINMASTER	DX3-SPED16M8W
RAINMASTER	DX3-SPED16M8WP	RAINMASTER	DX3-SPED16P
RAINMASTER	DX3-SPED24	RAINMASTER	DX3-SPED24M8C
RAINMASTER	DX3-SPED24M8CP	RAINMASTER	DX3-SPED24M8U
RAINMASTER	DX3-SPED24M8UP	RAINMASTER	DX3-SPED24M8W
RAINMASTER	DX3-SPED24M8WP	RAINMASTER	DX3-SPED24P
RAINMASTER	DX3-SPED32	RAINMASTER	DX3-SPED32M8C
RAINMASTER	DX3-SPED32M8CP	RAINMASTER	DX3-SPED32M8U
RAINMASTER	DX3-SPED32M8UP	RAINMASTER	DX3-SPED32M8W
RAINMASTER	DX3-SPED32M8WP	RAINMASTER	DX3-SPED32P
RAINMASTER	DX3-SPED40	RAINMASTER	DX3-SPED40M8C
RAINMASTER	DX3-SPED40M8CP	RAINMASTER	DX3-SPED40M8U
RAINMASTER	DX3-SPED40M8UP	RAINMASTER	DX3-SPED40M8W
RAINMASTER	DX3-SPED40M8WP	RAINMASTER	DX3-SPED40P
RAINMASTER	DX3-SPED48	RAINMASTER	DX3-SPED48M8C
RAINMASTER	DX3-SPED48M8CP	RAINMASTER	DX3-SPED48M8U
RAINMASTER	DX3-SPED48M8UP	RAINMASTER	DX3-SPED48M8W
RAINMASTER	DX3-SPED48M8WP	RAINMASTER	DX3-SPED48P

## Weather Based Irrigation Controllers Qualifying Products List as of Oct 01, 2022

Only WBICs that are on EPA WaterSense certified qualify for SoCal WaterSmart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, \*, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
RAINMASTER	DX3-SPEDHY08	RAINMASTER	DX3-SPEDHY08M8C
RAINMASTER	DX3-SPEDHY08M8CP	RAINMASTER	DX3-SPEDHY08M8U
RAINMASTER	DX3-SPEDHY08M8UP	RAINMASTER	DX3-SPEDHY08M8W
RAINMASTER	DX3-SPEDHY08M8WP	RAINMASTER	DX3-SPEDHY08P
RAINMASTER	DX3-SPEDHY16	RAINMASTER	DX3-SPEDHY16M8C
RAINMASTER	DX3-SPEDHY16M8CP	RAINMASTER	DX3-SPEDHY16M8U
RAINMASTER	DX3-SPEDHY16M8UP	RAINMASTER	DX3-SPEDHY16M8W
RAINMASTER	DX3-SPEDHY16M8WP	RAINMASTER	DX3-SPEDHY16P
RAINMASTER	DX3-SPEDHY24	RAINMASTER	DX3-SPEDHY24M8C
RAINMASTER	DX3-SPEDHY24M8CP	RAINMASTER	DX3-SPEDHY24M8U
RAINMASTER	DX3-SPEDHY24M8UP	RAINMASTER	DX3-SPEDHY24M8W
RAINMASTER	DX3-SPEDHY24M8WP	RAINMASTER	DX3-SPEDHY24P
RAINMASTER	DX3-SPEDHY32	RAINMASTER	DX3-SPEDHY32M8C
RAINMASTER	DX3-SPEDHY32M8CP	RAINMASTER	DX3-SPEDHY32M8U
RAINMASTER	DX3-SPEDHY32M8UP	RAINMASTER	DX3-SPEDHY32M8W
RAINMASTER	DX3-SPEDHY32M8WP	RAINMASTER	DX3-SPEDHY32P
RAINMASTER	DX3-SPEDHY40	RAINMASTER	DX3-SPEDHY40M8C
RAINMASTER	DX3-SPEDHY40M8CP	RAINMASTER	DX3-SPEDHY40M8U
RAINMASTER	DX3-SPEDHY40M8UP	RAINMASTER	DX3-SPEDHY40M8W
RAINMASTER	DX3-SPEDHY40M8WP	RAINMASTER	DX3-SPEDHY40P
RAINMASTER	DX3-SPEDHY48	RAINMASTER	DX3-SPEDHY48M8C
RAINMASTER	DX3-SPEDHY48M8CP	RAINMASTER	DX3-SPEDHY48M8U
RAINMASTER	DX3-SPEDHY48M8UP	RAINMASTER	DX3-SPEDHY48M8W
RAINMASTER	DX3-SPEDHY48M8WP	RAINMASTER	DX3-SPEDHY48P
RAINMASTER	DX3-SPEDTW	RAINMASTER	DX3-SPEDTWM8C
RAINMASTER	DX3-SPEDTWM8CP	RAINMASTER	DX3-SPEDTWM8U
RAINMASTER	DX3-SPEDTWM8UP	RAINMASTER	DX3-SPEDTWM8W
RAINMASTER	DX3-SPEDTWM8WP	RAINMASTER	DX3-SPEDTWP
RAINMASTER	DX3-SWM08	RAINMASTER	DX3-SWM08M8C
RAINMASTER	DX3-SWM08M8CP	RAINMASTER	DX3-SWM08M8U
RAINMASTER	DX3-SWM08M8UP	RAINMASTER	DX3-SWM08M8W
RAINMASTER	DX3-SWM08P	RAINMASTER	DX3-SWM16
RAINMASTER	DX3-SWM16M8C	RAINMASTER	DX3-SWM16M8CP
RAINMASTER	DX3-SWM16M8U	RAINMASTER	DX3-SWM16M8UP
RAINMASTER	DX3-SWM16M8W	RAINMASTER	DX3-SWM16M8WP
RAINMASTER	DX3-SWM16P	RAINMASTER	DX3-SWM24
RAINMASTER	DX3-SWM24M8C	RAINMASTER	DX3-SWM24M8CP
RAINMASTER	DX3-SWM24M8U	RAINMASTER	DX3-SWM24M8UP
RAINMASTER	DX3-SWM24M8W	RAINMASTER	DX3-SWM24M8WP
RAINMASTER	DX3-SWM24P	RAINMASTER	DX3-SWM32

## Weather Based Irrigation Controllers Qualifying Products List as of Oct 01, 2022

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, \*, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
RAINMASTER	DX3-SWM32M8C	RAINMASTER	DX3-SWM32M8CP
RAINMASTER	DX3-SWM32M8U	RAINMASTER	DX3-SWM32M8UP
RAINMASTER	DX3-SWM32M8W	RAINMASTER	DX3-SWM32M8WP
RAINMASTER	DX3-SWM32P	RAINMASTER	DX3-SWM40
RAINMASTER	DX3-SWM40M8C	RAINMASTER	DX3-SWM40M8CP
RAINMASTER	DX3-SWM40M8U	RAINMASTER	DX3-SWM40M8UP
RAINMASTER	DX3-SWM40M8W	RAINMASTER	DX3-SWM40M8WP
RAINMASTER	DX3-SWM40P	RAINMASTER	DX3-SWM48
RAINMASTER	DX3-SWM48M8C	RAINMASTER	DX3-SWM48M8CP
RAINMASTER	DX3-SWM48M8U	RAINMASTER	DX3-SWM48M8UP
RAINMASTER	DX3-SWM48M8W	RAINMASTER	DX3-SWM48M8WP
RAINMASTER	DX3-SWM48P	RAINMASTER	DX3-SWMTW
RAINMASTER	DX3-SWMTWM8C	RAINMASTER	DX3-SWMTWM8CP
RAINMASTER	DX3-SWMTWM8U	RAINMASTER	DX3-SWMTWM8UP
RAINMASTER	DX3-SWMTWM8W	RAINMASTER	DX3-SWMTWM8WP
RAINMASTER	DX3-SWMTWP	RAINMASTER	EGP-16-i
RAINMASTER	EGP-16-i-S	RAINMASTER	EGP-16-i-SPED
RAINMASTER	EGP-24-i	RAINMASTER	EGP-24-i-S
RAINMASTER	EGP-24-i-SPED	RAINMASTER	EGP-32-i
RAINMASTER	EGP-32-i-S	RAINMASTER	EGP-32-i-SPED
RAINMASTER	EGP-40-i	RAINMASTER	EGP-40-i-S
RAINMASTER	EGP-40-i-SPED	RAINMASTER	EGP-48-i
RAINMASTER	EGP-48-i-S	RAINMASTER	EGP-48-i-SPED
RAINMASTER	EGP-8-i	RAINMASTER	EGP-8-i-PSB
RAINMASTER	EGP-8-i-S	RAINMASTER	EGP-8-i-SPED
RAINMASTER	EGP-TWi	RAINMASTER	EGP-TWi-PSD
RAINMASTER	EGP-TWi-S	RAINMASTER	EGP-TWi-SPED
RAINMASTER	TW-EGi-36-SPEDT	RAINMASTER	TW-EGi-36-ST
RAINMASTER	TW-EGi-36-T	RAINMASTER	DX12-PSB
RAINMASTER	DX12-PWM	RAINMASTER	DX12-SPED
RAINMASTER	DX12-SWM	RAINMASTER	DX12-UFEN
RAINMASTER	DX18-PSB	RAINMASTER	DX18-PWM
RAINMASTER	DX18-SPED	RAINMASTER	DX18-SWM
RAINMASTER	DX18-UFEN	RAINMASTER	DX24-PSB
RAINMASTER	DX24-PWM	RAINMASTER	DX24-SPED
RAINMASTER	DX24-SWM	RAINMASTER	DX24-UFEN
RAINMASTER	DX30-PSB	RAINMASTER	DX30-PWM
RAINMASTER	DX30-SPED	RAINMASTER	DX30-SWM
RAINMASTER	DX30-UFEN	RAINMASTER	DX36-PSB
RAINMASTER	DX36-PWM	RAINMASTER	DX36-SPED



## Weather Based Irrigation Controllers Qualifying Products List as of Oct 01, 2022

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, \*, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
RAINMASTER	DX36-SWM	RAINMASTER	DX36-UFEN
RAINMASTER	DX42-PSB	RAINMASTER	DX42-PWM
RAINMASTER	DX42-SPED	RAINMASTER	DX42-SWM
RAINMASTER	DX42-UFEN	RAINMASTER	DX48-PSB
RAINMASTER	DX48-PWM	RAINMASTER	DX48-SPED
RAINMASTER	DX48-SWM	RAINMASTER	DX48-UFEN
RAINMASTER	DX6-PSB	RAINMASTER	DX6-PWM
RAINMASTER	DX6-SPED	RAINMASTER	DX6-SWM
RAINMASTER	DX6-UFEN	RAINMASTER	TW-DX48-PSB
RAINMASTER	TW-DX48-PWM	RAINMASTER	TW-DX48-SPED-T
RAINMASTER	TW-DX48-SWM	RAINMASTER	RME12EGi-B
RAINMASTER	RME12EGi-SB	RAINMASTER	RME12EGi-SPED
RAINMASTER	RME12EGi-SPEDT	RAINMASTER	RME12EGi-ST
RAINMASTER	RME12EGi-T	RAINMASTER	RME12EGi-W
RAINMASTER	RME18EGi-B	RAINMASTER	RME18EGi-SB
RAINMASTER	RME18EGi-SPED	RAINMASTER	RME18EGi-SPEDT
RAINMASTER	RME18EGi-ST	RAINMASTER	RME18EGi-T
RAINMASTER	RME18EGi-W	RAINMASTER	RME24EGi-B
RAINMASTER	RME24EGi-SB	RAINMASTER	RME24EGi-SPED
RAINMASTER	RME24EGi-SPEDT	RAINMASTER	RME24EGi-ST
RAINMASTER	RME24EGi-T	RAINMASTER	RME24EGi-W
RAINMASTER	RME30EGi-B	RAINMASTER	RME30EGi-SB
RAINMASTER	RME30EGi-SPED	RAINMASTER	RME30EGi-SPEDT
RAINMASTER	RME30EGi-ST	RAINMASTER	RME30EGi-T
RAINMASTER	RME30EGi-W	RAINMASTER	RME36EGi-B
RAINMASTER	RME36EGi-SB	RAINMASTER	RME36EGi-SPED
RAINMASTER	RME36EGi-SPEDT	RAINMASTER	RME36EGi-ST
RAINMASTER	RME36EGi-T	RAINMASTER	RME36EGi-W
RAINMASTER	RME6EGi-B	RAINMASTER	RME6EGi-SB
RAINMASTER	RME6EGi-SPED	RAINMASTER	RME6EGi-SPEDT
RAINMASTER	RME6EGi-ST	RAINMASTER	RME6EGi-T
RAINMASTER	RME6EGi-W	Scotts	70003-1
Scotts	70001-1	Scotts	70001A2
Smart Rain	V038984	Smart Rain	SR03
TORO	CL-100	TORO	DXi-DPSB56
TORO	DXi-DPSB56M8C	TORO	DXi-DPSB56M8CP
TORO	DXi-DPSB56P	TORO	DXi-DPSB64
TORO	DXi-DPSB64M8C	TORO	DXi-DPSB64M8CP
TORO	DXi-DPSB64P	TORO	DXi-DPSB72
TORO	DXi-DPSB72M8C	TORO	DXi-DPSB72M8CP

## Weather Based Irrigation Controllers Qualifying Products List as of Oct 01, 2022

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, \*, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
TORO	DXi-DPSB72P	TORO	DXi-DPSB80
TORO	DXi-DPSB80M8C	TORO	DXi-DPSB80M8CP
TORO	DXi-DPSB80P	TORO	DXi-DPSB88
TORO	DXi-DPSB88M8C	TORO	DXi-DPSB88M8CP
TORO	DXi-DPSB88P	TORO	DXi-DPSB96
TORO	DXi-DPSB96M8C	TORO	DXi-DPSB96M8CP
TORO	DXi-DPSB96P	TORO	DXi-PPED08
TORO	DXi-PPED08M8C	TORO	DXi-PPED08M8CP
TORO	DXi-PPED08P	TORO	DXi-PPED16
TORO	DXi-PPED16M8C	TORO	DXi-PPED16M8CP
TORO	DXi-PPED16P	TORO	DXi-PPED24
TORO	DXi-PPED24M8C	TORO	DXi-PPED24M8CP
TORO	DXi-PPED24P	TORO	DXi-PPED32
TORO	DXi-PPED32M8C	TORO	DXi-PPED32M8CP
TORO	DXi-PPED32P	TORO	DXi-PPED40
TORO	DXi-PPED40M8C	TORO	DXi-PPED40M8CP
TORO	DXi-PPED40P	TORO	DXi-PPED48
TORO	DXi-PPED48M8C	TORO	DXi-PPED48M8CP
TORO	DXi-PPED48P	TORO	DXi-PPEDTW
TORO	DXi-PPEDTWM8C	TORO	DXi-PPEDTWM8CP
TORO	DXi-PPEDTWP	TORO	DXi-PSB08
TORO	DXi-PSB08M8C	TORO	DXi-PSB08M8CP
TORO	DXi-PSB08P	TORO	DXi-PSB16
TORO	DXi-PSB16M8C	TORO	DXi-PSB16M8CP
TORO	DXi-PSB16P	TORO	DXi-PSB24
TORO	DXi-PSB24M8C	TORO	DXi-PSB24M8CP
TORO	DXi-PSB24P	TORO	DXi-PSB32
TORO	DXi-PSB32M8C	TORO	DXi-PSB32M8CP
TORO	DXi-PSB32P	TORO	DXi-PSB40
TORO	DXi-PSB40M8C	TORO	DXi-PSB40M8CP
TORO	DXi-PSB40P	TORO	DXi-PSB48
TORO	DXi-PSB48M8C	TORO	DXi-PSB48M8CP
TORO	DXi-PSB48P	TORO	DXi-PSBTW
TORO	DXi-PSBTWM8C	TORO	DXi-PSBTWM8CP
TORO	DXi-PSBTWP	TORO	DXi-PWM08
TORO	DXi-PWM08M8C	TORO	DXi-PWM08M8CP
TORO	DXi-PWM08P	TORO	DXi-PWM16
TORO	DXi-PWM16M8C	TORO	DXi-PWM16M8CP
TORO	DXi-PWM16P	TORO	DXi-PWM24
TORO	DXi-PWM24M8C	TORO	DXi-PWM24M8CP

## Weather Based Irrigation Controllers Qualifying Products List as of Oct 01, 2022

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, \*, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
TORO	DXi-PWM24P	TORO	DXi-PWM32
TORO	DXi-PWM32M8C	TORO	DXi-PWM32M8CP
TORO	DXi-PWM32P	TORO	DXi-PWM40
TORO	DXi-PWM40M8C	TORO	DXi-PWM40M8CP
TORO	DXi-PWM40P	TORO	DXi-PWM48
TORO	DXi-PWM48M8C	TORO	DXi-PWM48M8CP
TORO	DXi-PWM48P	TORO	DXi-PWMTW
TORO	DXi-PWMTWM8C	TORO	DXi-PWMTWM8CP
TORO	DXi-PWMTWP	TORO	DXi-SPED08
TORO	DXi-SPED08M8C	TORO	DXi-SPED08M8CP
TORO	DXi-SPED08P	TORO	DXi-SPED16
TORO	DXi-SPED16M8C	TORO	DXi-SPED16M8CP
TORO	DXi-SPED16P	TORO	DXi-SPED24
TORO	DXi-SPED24M8C	TORO	DXi-SPED24M8CP
TORO	DXi-SPED24P	TORO	DXi-SPED32
TORO	DXi-SPED32M8C	TORO	DXi-SPED32M8CP
TORO	DXi-SPED32P	TORO	DXi-SPED40
TORO	DXi-SPED40M8C	TORO	DXi-SPED40M8CP
TORO	DXi-SPED40P	TORO	DXi-SPED48
TORO	DXi-SPED48M8C	TORO	DXi-SPED48M8CP
TORO	DXi-SPED48P	TORO	DXi-SPEDHY08
TORO	DXi-SPEDHY08M8C	TORO	DXi-SPEDHY08M8CP
TORO	DXi-SPEDHY08P	TORO	DXi-SPEDHY16
TORO	DXi-SPEDHY16M8C	TORO	DXi-SPEDHY16M8CP
TORO	DXi-SPEDHY16P	TORO	DXi-SPEDHY24
TORO	DXi-SPEDHY24M8C	TORO	DXi-SPEDHY24M8CP
TORO	DXi-SPEDHY24P	TORO	DXi-SPEDHY32
TORO	DXi-SPEDHY32M8C	TORO	DXi-SPEDHY32M8CP
TORO	DXi-SPEDHY32P	TORO	DXi-SPEDHY40
TORO	DXi-SPEDHY40M8C	TORO	DXi-SPEDHY40M8CP
TORO	DXi-SPEDHY40P	TORO	DXi-SPEDHY48
TORO	DXi-SPEDHY48M8C	TORO	DXi-SPEDHY48M8CP
TORO	DXi-SPEDHY48P	TORO	DXi-SPEDTW
TORO	DXi-SPEDTWM8C	TORO	DXi-SPEDTWM8CP
TORO	DXi-SPEDTWP	TORO	DXi-SWM08
TORO	DXi-SWM08M8C	TORO	DXi-SWM08M8CP
TORO	DXi-SWM08P	TORO	DXi-SWM16
TORO	DXi-SWM16M8C	TORO	DXi-SWM16M8CP
TORO	DXi-SWM16P	TORO	DXi-SWM24
TORO	DXi-SWM24M8C	TORO	DXi-SWM24M8CP

## Weather Based Irrigation Controllers Qualifying Products List as of Oct 01, 2022

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, \*, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
TORO	DXi-SWM24P	TORO	DXi-SWM32
TORO	DXi-SWM32M8C	TORO	DXi-SWM32M8CP
TORO	DXi-SWM32P	TORO	DXi-SWM40
TORO	DXi-SWM40M8C	TORO	DXi-SWM40M8CP
TORO	DXi-SWM40P	TORO	DXi-SWM48
TORO	DXi-SWM48M8C	TORO	DXi-SWM48M8CP
TORO	DXi-SWM48P	TORO	DXi-SWMTW
TORO	DXi-SWMTWM8C	TORO	DXi-SWMTWM8CP
TORO	DXi-SWMTWP	TORO	EVO-WS
TORO	TIS-X-*	TORO	SBAyyyz
TORO	SCxyyyz	TORO	SBxyyyz
TORO	SBDyyyz	TORO	SBWxyyyz
TORO	TIS-XP-*	TORO	53855
Tucor, Inc.	LTD	Tucor, Inc.	RKD
Tucor, Inc.	RKD+	Tucor, Inc.	RKS
Tucor, Inc.	RKS+	Tucor, Inc.	RKW+
Weathermatic	SL1612-WIFI-SLW1	Weathermatic	SL1612-WIFI-SLW5
Weathermatic	SL1616-WIFI-SLW1	Weathermatic	SL1616-WIFI-SLW5
Weathermatic	SL1604-WIFI-SLW1	Weathermatic	SL1604-WIFI-SLW5
Weathermatic	SL1608-WIFI-SLW1	Weathermatic	SL1608-WIFI-SLW5
Weathermatic	SL9600TW-SLW1	Weathermatic	SL9600TW-SLW5
Weathermatic	SL1612-SLW15	Weathermatic	SL1616-SLW15
Weathermatic	SL1604-SLW15	Weathermatic	SL1608-SLW15
Weathermatic	SL1612-SLW1	Weathermatic	SL1616-SLW1
Weathermatic	SL1604-SLW1	Weathermatic	SL1608-SLW1
Weathermatic	SL1612-SLW5	Weathermatic	SL1616-SLW5
Weathermatic	SL1604-SLW5	Weathermatic	SL1608-SLW5
Weathermatic	SL1620-SLW15	Weathermatic	SL1620-SLW1
Weathermatic	SL1620-SLW5	Weathermatic	SL1624-SLW15
Weathermatic	SL1624-SLW1	Weathermatic	SL1624-SLW5
Weathermatic	SL2412-SLW5	Weathermatic	SL2424-SLW5
Weathermatic	SL4812-SLW15	Weathermatic	SL4824-SLW15
Weathermatic	SL4836-SLW15	Weathermatic	SL4848-SLW15
Weathermatic	SL4812-SLW1	Weathermatic	SL4824-SLW1
Weathermatic	SL4836-SLW1	Weathermatic	SL4848-SLW1
Weathermatic	SL4812-SLW5	Weathermatic	SL4824-SLW5
Weathermatic	SL4836-SLW5	Weathermatic	SL4848-SLW5
Weathermatic	SL804-SLW15	Weathermatic	SL806-SLW15
Weathermatic	SL808-SLW15	Weathermatic	SL804-SLW1
Weathermatic	SL806-SLW1	Weathermatic	SL808-SLW1

## Weather Based Irrigation Controllers Qualifying Products List as of Oct 01, 2022

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, \*, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
Weathermatic	SL804-SLW5	Weathermatic	SL806-SLW5
Weathermatic	SL808-SLW5	Wyze	WSPRK1

For more information, call **888-376-3314** or visit [www.bewaterwise.com](http://www.bewaterwise.com)